



Канатний електротельфер МТ Пересувається двома візками, поліспаст 2/1

(1) з мікропідйомом

(2) з обмежувачем вантажу

Тип	Поліспаст 2/1		Розміри, мм																																										
	Висота підйому, м	Вантажопідйомність, kg	Швидкість підйому, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	Б	B1	B2	B3	B4	B5	B6	B7	C	i	Д																		
			8	12																																									
			8/2	12/2																																									
			Л1																																										
MT202	H4	21 рік	500	978	1018	452	509	157	75	924	225	415	70	317	195	148	33	90...	560	625	158,5	239,5	302	245...	94...	34	165	192	1065	50	120														
	H5	28		1138	1178	532	669	237	75	1084																						130...	618	680	186	250	314,5	245...	94...	34	172	226	1140	36	120
	H6	37		1226	1290	567	641	207	92	1056																																			
	H7	42		1306	1373	602	711	237	97	1126																						150	680	186	250	314,5	245...	94...	34	172	226	1140	36	120	
MT305	H4	20	1114	1154	512	629	198	92	1044	225	415	70	317	195	148	33	90...	560	625	158,5	239,5	302	245...	94...	40	165	198	1135	50	120															
	H5	27	1314	1354	612	829	298	92	1244																						130...	618	680	186	250	314,5	245...	94...	40	172	226	1210	36	120	
	H6	38	1426	1490	667	841	295	90	1256																																				150
	H7	42	1526	1593	712	931	335	95	1346																						150	680	186	250	314,5	245...	94...	40	172	226	1210	36	120		
MT410	H4	20	1226	1290	567	641	195	90	1177	280	536	80	380	235	200	37	130...	618	680	186	250	270...	125..	45	172	220	1330	36	175																
	H5	26	1426	1490	667	841	295	90	1377																					150	680	186	250	314,5	270...	125..	45	172	220	1330	36	175			
	H6	34	1535	1623	710	873	302	90	1409																																		150	680	186
	H7	39	1640	1728	762	978	355	90	1514																					150	680	186	250	314,5	270...	125..	45	172	220	1330	36	175			
	H8	47	1815	1903	850	1153	443	90	1689																																		150	680	186
	H9	52	1955	2043	920	1293	513	90	1829																					150	680	186	250	314,5	270...	125..	45	172	220	1330	36	175			
H10	60	2125	2213	1005	1463	598	90	1999	150	680	186	250	314,5	270...	125..	45	172	220	1330	36	175																								
MT516	H4	18 років	3200	1306	1373	602	711	225														95	1247	280	536	80	380	235	200	37	130...	618	680	186	250	270...	125..	50	172	226	1415	34	175		
	H5	25		1526	1593	712	931	335	95	1467	150	680	186	250	314,5	270...	125..	50	172	226	1415	34	175																						
	H6	32		1640	1728	762	978	355	90	1514																																		150	680

Тип	Поліспаст 2/1		Розміри, мм																									
	Висота підйому, м	Вантажопідйомність, kg	Швидкість підйому, м/мін		Л2	Л3	Л4	Л5	Л6	Л7	Л8	Л9	Н1	Н2	Н3	Н4	Б	В1	В2	В3	В4	В5	В6	В7	С	і	Д	
			16	16/4																								
			Л1																									
MT202	H4	21 рік	500	1026	1090	467	441	157	75	856	225	415	80	380	205	148	33	130... 150	618 680 (2)	186	250 314,5 (2)	245... 305	94... 54	34	172 226 (1)	1140	36	120
	H5	28		1086	1153	492	491	237	75	906																		
	H6	37		1226	1290	567	641	207	92	1056																		
	H7	42		1306	1373	602	711	237	97	1126																		
MT305	H4	20	1000	1114	1154	492	491	198	92	906	225	415	80	380	205	148	33	130... 150	618 680 (2)	186	250 314,5 (2)	245... 305	94... 54	40	172 226 (1)	1210	36	120
	H5	27		1314	1354	567	641	298	92	1056																		
	H6	38		1426	1490	667	841	295	90	1256																		
	H7	42		1526	1593	712	931	335	95	1346																		
MT410	H5	26	2000 рік	1325	1413	605	663	200	90	1199	280	536	90	466	270	200	37	130... 150	752 830 (2)	229	294 365,5 (2)	270... 335	125... 105	45	212 257 (1)	1445	38	175
	H6	34		1535	1623	710	873	302	90	1409																		
	H7	39		1640	1728	762	978	355	90	1514																		
	H8	47		1815	1903	850	1153	442	90	1689																		
	H9	52		1955	2043	920	1293	513	90	1829																		
	H10	60		2125	2213	1005	1463	598	90	1999																		
MT516	H5	25	3200	1535	1623	710	873	305	90	1409	280	536	90	466	270	200	37	130... 150	752 830 (2)	229	294 365,5 (2)	270... 335	125... 105	50	212 257 (1)	1530	38	175
	H6	32		1640	1728	762	978	355	90	1514																		
	H7	38		1815	1903	850	1153	442	90	1689																		
	H8	43		1955	2043	920	1293	513	90	1829																		
	H9	49		2125	2213	1005	1463	598	90	1999																		
MT625	H2	9	5000	1168	1174	507	600	68	78	1195	280	536	100	540	265	200	37	130... 150	880 960 (2)	271	369 453,5 (2)	270... 335	125... 105	56	266	1700	56	175
	H3	14		1328	1334	587	600	148	78	1195																		
	H4	17 років		1488	1494	667	713	178	128	1249																		
	H5	23		1588	1594	717	813	228	128	1349																		
	H6	30		1778	1774	812	1003	323	128	1539																		
	H7	35		1963	1969	905	1188	414	128	1724																		
	H8	40		2093	2128	987	1353	498	128	1889																		
	H9	46		2253	2288	1067	1513	578	128	2049																		
	H10	54		2503	2538	1192	1763	703	128	2299																		
MT740	H2	8	8000	1168	1174	507	600	68	78	1195	310	595	100	540	292	230	30	130... 150	880 960 (2)	271	369 453,5 (2)	300... 365	145... 125	71	266	1910	56	210
	H3	12		1328	1334	587	600	148	78	1195																		
	H4	17 років		1488	1494	667	713	178	128	1308																		
	H5	23		1703	1709	775	928	285	128	1523																		
	H6	29		1918	1924	882	1143	392	128	1738																		
	H7	35		2128	2134	987	1353	498	128	1948																		
	H8	40		2288	2294	1067	1513	578	128	2108																		
	H9	47		2538	2544	1192	1763	703	128	2358																		
	H10	52		2728	2734	1287	1953	798	128	2548																		

Тип	Поліспаст 2/1		Швидкість підйому, m/min					
	Висота підйому, m	Вантажопідйомність, kg	8	12	8/2	12/2	16	16/2.5
			Вага, кг					
MT202	H4	21 рік	500	193	210	296	342	
	H5	28		202	227	314	360	
	H6	37		330	374	321	367	
	H7	42		350	394	344	390	
MT305	H4	20	1000	218	240	342	385	
	H5	27		230	252	357	400	
	H6	38		385	407	385	407	
	H7	42		405	427	405	427	
MT410	H4	20	2000 рік	460	503	-	-	
	H5	26		480	523	705	541	
	H6	34		765	825	765	825	
	H7	39		785	845	785	845	
	H8	47		820	880	820	880	
	H9	52		855	915	855	915	
MT516	H4	18 років	3200	490	500	575	-	-
	H5	25		510	520	575	770	660
	H6	32		790	800	790	790	830
	H7	38		825	835	825	825	865
	H8	43		860	870	860	860	900
	H9	49		890	900	890	890	930
MT625	H4	17 років	5000	705	765	960	895	
	H5	23		760	820	1070	925	
	H6	30		730	890	1140	975	
	H7	35		1020	1080	1195	1200	
	H8	40		1065	1125	1225	1230	
	H9	46		1200	1260	1270	1275	
	H10	54		1270	1330	1340	1345	
MT740	H2	8	8000	1005	1065	1065	1070	
	H3	12		1045	1105	1105	1110	
	H4	17 років		1080	1240	1240	1250	
	H5	23		1135	1195	1195	1200	
	H6	29		1185	1245	1245	1250	
	H7	35		1245	1305	1305	1310	
	H8	40		1290	1350	1350	1355	
	H9	47		1360	1420	1420	1425	
	H10	52		1415	1475	1475	1480	

Тип	Поліспаст 2/1		Швидкість підйому, m/min					
	Висота підйому, m	Вантажопідйомність, kg	8	12	8/2	12/2	16	16/2.5
			Вага, кг					
MT750	H2	8	10000	1040	1100	1100	1105	
	H3	12		1080	1140	1140	1145	
	H4	17 років		1120	1180	1180	1185	
	H5	23		1170	1230	1230	1235	
	H6	29		1230	1290	1290	1295	
	H7	35		1295	1355	1355	1360	
	H8	40		1340	1400	1400	1405	
	H9	47		1415	1475	1475	1480	
	H10	52		1475	1535	1535	1540	

Тип	Поліспаст 2/1		Швидкість підйому, m/min				
	Висота підйому, m	Вантажопідйомність, kg	6	9	6/1.5	9/1.5	
			Вага, кг				
MT763	H2	8	12500	1040	1100		
	H3	12		1080	1140		
	H4	17 років		1120	1180		
	H5	23		1170	1230		
	H6	29		1230	1290		
	H7	35		1295	1355		
	H8	40		1340	1400		
	H9	47		1415	1475		
	H10	52		1475	1535		

Тип	Поліспаст 2/1		Швидкість				
	Висота підйому, м	Вантажопідйомність, kg	підйому, m/min				
			4	6	4/1	6/1	
			Вага, кг				
MT780	H3	24	16000	1240	1300		
	H4	34		1315	1375		
	H5	46		1375	1435		
	H6	58		1430	1495		
	H7	70		1500	1560	рік	
	H8	80		1555	1615		
	H9	94		1625	1675		
	H10	104		1685	-		